

SAFETY DATA SHEET

CJ FORM-TIE WATERSTOP Hydrophilic Rubber Form-Tie Waterstop

SECTION I. SUPPLIER IDENTIFICATION

Name : CJSA Address : Unit 2, 18 Farrow Circuit Seaford Rise, South Australia 5169, Australia.

The details and information stated within this SDS have been provided by the manufacturer. Manufacturer's Reference Number: HDT-001-EX-A Refer to <u>www.cjsa.net.au</u> to obtain the most recent SDS.

SECTION I.I. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name : CJ FORM-TIE WATERSTOP Hydrophilic Rubber Form-Tie Waterstop

Recommended use and restriction on use

Recommended use: Sealing of concrete joints in construction sites, Sealing between precast concrete segmentsRestrictions on use: No information

SECTION 2. HAZARDS IDENTIFICATION

Important hazards

GHS classification Not applicable* - This Product is finished product but not Chemical nor Preparation, so GHS classification is not applied.

Other hazards information

Thermal decomposition may produce HCl, CO, etc.

The information and the recommendations relating to the application and end use of this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability of final function at the job site is assumed. In practice, the differences in materials substrates and actual site conditions are such that no warranty in respect of merchantability of or fitness for particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. The Company also has no express or implied knowledge of any particular purpose for which the product is required and any such information given will not be taken into account in the supply of this product. No responsibility or liability of the product for his intended use and assume all risks and liability in connection therewith. The information contained in our brochure may change at any time without notice. Any use of this product, CJ Form-Tie Waterstop, in any application should be approved as suitable for use/application by the Design Engineer and Project Manager.

CJSA

Unit 2, 18 Farrow Circuit Seaford Rise, South Australia 5169, Australia. Tel +61 432 423 103 Email admin@cjsa.net.au



admin@cjsa.net.au www.cjsa.net.au



SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Mixture/Article : Article

Compositions : Main component: Chloroprene rubber and Hydrophilic resin

SECTION 4. FIRST AID MEASURES

IF ON SKIN If irritation persists, flush with large amount of water and soap until irritation subsides. If symptoms continue, call a doctor/physician.

IF IN EYES Don't rub your eyes after touching products. Flush immediately eyes with large amount of clean water until irritation subside. If symptoms continue, call a doctor/physician.

IF SWALLOWED If conscious, give water to drink and induce vomiting. Immediately get medical advice/attention.

Anticipated acute effects, anticipated delayed effects and most important symptoms/effects No information

Protection of first-aiders

Wear appropriate eyes and skin protective equipment.

Note to an attending physician

No information

SECTION 5. FIRE FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Use water mist, dry chemical powder, fire foam or carbon dioxide.

Unsuitable extinguishing media

Applying direct water may be dangerous because fire may expand to surroundings.

Specific hazards arising from the chemical

In case of fire, toxic decomposition products (hydrogen chloride) may be generated.

Cut off any ignition sources and extinguish with an appropriate agent.

Cool the surrounding tank and the buildings with direct water jet to avoid risk of fire spreading.

Take action from windward.

Keep out except responsible personnel.

Move container to a safe area if it can be done without risk.

Protective equipment and precautions for firefighters

Wear suitable self-contained breathing apparatus and heat resistant protective clothing for eyes and skin.



SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Keep out except responsible personnel. Wear suitable protective equipment described in Section 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Environmental precautions

Methods and materials for containment and cleaning up Sweep up scattered materials then collect them into an empty container.

Secondary disaster prevention measures

Prevent to flowing into drains, sewers, basements or closed areas.

SECTION 7. HANDLING AND STORAGE

Handling

Technical measures Precautions such as local/total ventilation Precautions for safe handling Prevention of contact

Storage

Technical measures Incompatible materials and mixtures Conditions for safe storage

Packing material

No information Not applicable Wash hands thoroughly after handling. Incompatible materials

No information Oxidizing agents Store in a cool, dry, well-ventilated location. Keep away from water. Keep away from heat, flame and sunlight. Use a sealed container without damage.

SECTION 8. EXPOSURE CONTROL / PERSONAL PROTECTION

Permissible concentration Not applicable

Personal protective equipment

Respiratory protectionNot applicable.Hand protectionWear protective gloves if necessary.Eye protectionWear safety glasses or goggles if necessary.Skin and body protectionWear protective clothing and apron if necessary.



SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, form and colour) Odour Specific gravity Solubility Other information Blue, Dark blue, Light blue and Black etc. Solid (Finished products) Odourless 1.0-1.5 Water; insoluble Swell as it absorbs water.

SECTION 10. STABILITY AND REACTIVITY

Stable under normal handling condition.
No hazardous reaction expected under normal handling.
Keep away from water.
Keep away from heat, flame and sunlight.
Oxidizing agents
In case of fire, toxic decomposition products (hydrogen chloride) may be
generated.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicological information for product No information

SECTION 12. ECOLOGICAL INFORMATION

Ecological information for product

Ecotoxicity	No information
Persistence and degradability	No information
Bioaccumulative potential	No information
Mobility in soil	No information
Hazardous to the ozone layer	Not applicable
Mobility in soil	No information

SECTION 13. DISPOSAL CONSIDERATIONS

Remaining product

Dispose of waste in accordance with applicable local, regional and international regulations and standards. When disposing, consult to a certificated waste trader or local offices if they deal with the waste. Do not burn this product.

Contaminated containers and packaging

Used container should be recycled after cleaning or dispose of in compliance with related laws and local regulations. Contents should be removed completely when dispose of empty containers.



SECTION 14. TRANSPORT INFORMATION

International regulation

UN number Not applicable

Carefully load not to fall and drop the product because of the heavy product, when transporting. Take any measures to prevent injury due to collapse of cargo piles. While transportation, prevent from rain, snow and water.

SECTION 15. REGULATORY INFORMATION

US Federal regulation

TSCA inventory Registered

EU regulation

The product and its ingredients are not regulated by specific provisions related to protection of human health or the environment at EU level, e.g. not considered as SVHCs or POPs.

SECTION 16. OTHER INFORMATION

Update history

SDS reference number HDT-001-EX-A Date of issue Ist April 2017 / to comply with GHS regulation

Disclaimer

This SDS has been prepared on the basis of laws, regulations and information available at this time. It is user's responsibility to modify or update any contents in this SDS regarding information on hazardous properties and/or instruction for safe handling of the product when they become available. Precautionary measures in this SDS are only applicable for normal handling conditions and it is necessary to take appropriate additional measures to ensure safe handling which depend on your specific use conditions or situations.

The information and the recommendations relating to the application and end use of this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability of final function at the job site is assumed. In practice, the differences in materials substrates and actual site conditions are such that no warranty in respect of merchantability of or fitness for particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. The Company also has no express or implied knowledge of any particular purpose for which the product is required and any such information given will not be taken into account in the supply of this product. No responsibility or liability by the Company will be accepted for misuse, misreading or derivation from recommended guidelines in respect of this product and the user shall determine the suitability of the product for his intended use and assume all risks and liability in connection therewith. The information contained in our brochure may change at any time without notice. Any use of this product, CJ Form-Tie Waterstop, in any application should be approved as suitable for use/application by the Design Engineer and Project Manager.

CJSA

Unit 2, 18 Farrow Circuit Seaford Rise, South Australia 5169, Australia. Tel +61 432 423 103 Email admin@cjsa.net.au



admin@cjsa.net.au www.cjsa.net.au