

SAFETY DATA SHEET

Superstop[®] 47B Hydrophilic Butyl Waterstop Seal

SECTION 1. IDENTIFICATION

Name : **CJSA**
Address : Unit 2, 18 Farrow Circuit Seaford Rise,
South Australia 5169,
Australia.

The details and information stated within this SDS have been provided by the manufacturer.
Manufacturer's Reference Number: 22/10/2018
Refer to www.cjsa.net.au to obtain the most recent SDS.

Trade Name : Superstop[®] 47B Hydrophilic Butyl Waterstop Seal

Relevant identified uses of the substance or mixture and uses advised against
Not available

SECTION 2. HAZARDS IDENTIFICATION

Since the product is in paste form, the risk of exposure to a carcinogen dust is minimum, this is why the related hazard statements are not shown in this SDS.

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture : Not Classified

The information and the recommendations relating to the application and end use of this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability of final function at the job site is assumed. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability of, or fitness for, particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. The Company also has no express or implied knowledge of any particular purpose for which the product is required and any such information given will not be taken into account in the supply of this product. No responsibility or liability by the Company will be accepted for misuse, misreading or derivation from recommended guidelines in respect of this product and the user shall determine the suitability of the product for his intended use and assume all risks and liability in connection therewith. The information contained in our brochure may change at any time without notice. Any use of this product, Superstop[®] 47B, in any application should be approved as suitable for use/application by the Design Engineer and Project Manager.

CJSA

Unit 2, 18 Farrow Circuit Seaford Rise,
South Australia 5169, Australia.
Tel +61 432 423 103
Email admin@cjsa.net.au

SAFETY DATA SHEET

Superstop® 47B Hydrophilic Butyl Waterstop Seal

SECTION 2. HAZARDS IDENTIFICATION (continued)

GHS label elements

Signal word : No signal word
 Hazard statements : No known significant effects or critical hazards.

Precautionary statements

General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
 Prevention : Not applicable
 Response : Not applicable
 Storage : Not applicable
 Disposal : Not applicable
 Hazards not otherwise classified : None known

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture : Mixture
 Other means of identification : Not available

CAS number/other identifiers

CAS number : Not applicable
 Product code : Not available

<u>Ingredient name</u>	<u>%</u>	<u>CAS number</u>
Crystalline silica, quartz	10-30	14808-60-7
1-Propene, 2-methyl-, homopolymer	5-10	9003-27-4
Titanium dioxide	1-5	13463-67-7
Carbon black	0.1-1	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4. FIRST AID MEASURES

Description of necessary first aid measures

Eye contact : Not a likely route of exposure.
 Inhalation : Not a likely route of exposure.
 Skin contact : No first aid should be needed.
 Ingestion : Wash mouth out with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

SAFETY DATA SHEET

Superstop® 47B Hydrophilic Butyl Waterstop Seal

SECTION 4. FIRST AID MEASURES (continued)

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards.
 Inhalation : No known significant effects or critical hazards.
 Skin contact : No known significant effects or critical hazards.
 Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : No known significant effects or critical hazards.
 Inhalation : No known significant effects or critical hazards.
 Skin contact : No known significant effects or critical hazards.
 Ingestion : No known significant effects or critical hazards.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments

Protection of first-aiders

SECTION 5. FIRE FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : Carbon dioxide, dry chemical, foam and water fog or spray.
 Unsuitable extinguishing media : None known

Specific hazards arising from the chemical : No specific fire or explosion hazard.
 Hazardous thermal decomposition : Decomposition materials may include the following materials: carbon dioxide
 products carbon monoxide

Special protective actions for firefighters : No special measures are required.
 Special protective equipment for firefighters : Firefighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Put on appropriate personal protective equipment.
 For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel."
 Environmental precautions : None require if used according to recommended conditions.

Methods and materials for contaminant and cleaning up

Spill : Not applicable

SAFETY DATA SHEET

Superstop® 47B Hydrophilic Butyl Waterstop Seal

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and faces before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Do not store in unlabeled containers.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control parameters

Occupational exposure limits

<u>Ingredient name</u>	<u>Exposure limits</u>	
Crystalline silica, quartz	OSHA PEL Z3 (United States, 2/2013). TWA: 10 mg/m ³ 8 hours. Form: Respirable TWA: 250 mppcf 8 hours Form: Respirable NIOSH REL (United States, 10/2013). TWA: 0.05 mg/m ³ 10 hours. Form: Respirable dust ACGIH TLV (United States, 4/2014). TWA: 0.025 mg/m ³ 8 hours. Form: Respirable fraction..	
Titanium dioxide	OSHA PEL (United States, 2/2013). TWA: 15 mg/m ³ 8 hours. Form: Total dust ACGIH TLV (United States, 4/2014). TWA: 10 mg/m ³ 8 hours. ACGIH TLV (United States, 4/2014). TWA: 3 mg/m ³ 8 hours. Form: Inhalable fraction	
Carbon black	NIOSH REL (United States, 10/2013). TWA: 3.5 mg/m ³ 10 hours. TWA: 0.1 mg of PAHs/cm ³ 10 hours. OSHA PEL (United States, 2/2013). TWA: 3.5 mg/m ³ 8 hours	
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Individual protection measures

Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
Eye/face protection	:	Not required under normal condition of use.
<u>Skin protection</u>		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	
Other skin protection	:	
Respiratory protection	:	

SAFETY DATA SHEET

Superstop® 47B Hydrophilic Butyl Waterstop Seal

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state	:	Solid
Color	:	Not available
Odor	:	Not available
Odor threshold	:	Not available
pH	:	Not available
Melting point	:	Not available
Boiling point	:	Not available
Flash point	:	Not available
Burning time	:	Not available
Burning rate	:	Not available
Evaporation rate	:	Not available
Flammability (solid, gas)	:	Not available
Lower & upper explosive (flammable) limits	:	Not available
Vapor pressure	:	Not available
Vapor density	:	Not available
Relative density	:	Not available
Solubility	:	Insoluble in the following materials: cold water and hot water.
Solubility in water	:	Not available
Partition coefficient n-octanol/water	:	Not available
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
SADT	:	Not available
Viscosity	:	Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	No specific data.
Incompatible materials	:	Reactive or incompatible with the following materials: oxidizing materials. Non-reactive or compatible with the following materials: reducing materials, combustible materials, organic materials, metals, acids, alkalis, and moisture.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SAFETY DATA SHEET

Superstop[®] 47B Hydrophilic Butyl Waterstop Seal

SECTION II. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black	LD50 Oral	Rat	>15400 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin- Mild irritant	Human	-	72 hours 300 µg intermittent	-

Sensitization

Skin : There is no data available
 Respiratory : There is no data available

Mutagenicity

There is no data available

Carcinogenicity

Classification

Product/ingredient name	OSHA	IARC	NTP
Crystalline silica, quartz	-	I	Known to be a human carcinogen.
Titanium dioxide	-	2B	-
Carbon black	-	2B	-

There is no data available

Reproductive toxicity

There is no data available

Teratogenicity

There is no data available

Specific target organ toxicity (single exposure)

There is no data available

Specific target organ toxicity (repeated exposure)

NAME	Category	Route of exposure	Target organs
Crystalline silica, quartz	Category I	Inhalation	Kidneys, respiratory tract and testes

SAFETY DATA SHEET

Superstop[®] 47B Hydrophilic Butyl Waterstop Seal

SECTION 11. TOXICOLOGICAL INFORMATION (continued)

Aspiration hazard

There is no data available

Information on the likely routes of exposure : Routes of entry anticipated: Oral, Dermal

Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects	:	No known significant effects or critical hazards.
Potential delayed effects	:	No known significant effects or critical hazards.

Long term exposure

Potential immediate effects	:	No known significant effects or critical hazards.
Potential delayed effects	:	No known significant effects or critical hazards.

Potential chronic health effects

General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

There is no data available.

SAFETY DATA SHEET

Superstop® 47B Hydrophilic Butyl Waterstop Seal

SECTION 12. ECOLOGICAL INFORMATION

Product/ingredient name	Result	Species	Exposure
1-Propene, 2-methyl-, homopolymer Titanium dioxide	Acute LC50 >5600000 µg/L Fresh water	Fish-Oncorhynchus mykiss	96 hours
	Acute EC50 5.83 mg/L Fresh water	Algae-Pseudokirchneriella subcapitata Exponential growth phase	72 hours
	Acute LC50 3 mg/L Fresh water	Crustaceans-Ceriodaphnia dubia Neonate	48 hours
	Acute LC50 5.5 ppm Fresh water	Daphnia-Daphnia magna-Juvenile (Fledgling, Hatchling, Weanling)	48 hours
	Acute LC50 1000 mg/L Fresh water	Fish- Pimephales promelas	96 hours
	Chronic NOEC 0.984 mg/L Fresh water	Algae- Pseudokirchneriella subcapitata Exponential growth phase	72 hours

Persistence and degradability

There is no data available

Bioaccumulative potential

Product/ingredient name	LogPOW	BCF	Potential
Titanium dioxide	-	352	low

Mobility in soil

Soil/water partition coefficient (KOC) : Not available
 Other adverse effects : No known significant effects or critical hazards.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

SAFETY DATA SHEET

Superstop® 47B Hydrophilic Butyl Waterstop Seal

SECTION 14. TRANSPORT INFORMATION

	DOT Classification	IMDG	IATA
UN number	Not regulated	Not regulated	Not regulated
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Additional information	-	-	-

Special precautions for user : No special precautions are required .

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not available

SECTION 15. REGULATORY INFORMATION

U.S. Federal regulations

TSCA 8(a) CDR Exempt/Partial exemption
Not determined

United States inventory (TSCA 8b)
All components are listed or exempt.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)
Not Listed

Clean Air Act Section 602 Class I Substances
Not listed

Clean Air Act Section 602 Class II Substances
Not listed

DEA List I Chemicals (Precursor Chemicals)
Not listed

DEA List II Chemicals (Essential Chemicals)
Not listed

SAFETY DATA SHEET

Superstop® 47B Hydrophilic Butyl Waterstop Seal

SECTION 15. REGULATORY INFORMATION (continued)

SARA 302/304

Composition/information on ingredients

Name	%	EHS	SARA 302 TPQ		SARA 304 RQ	
			(lbs)	(gallons)	(lbs)	(gallons)
No products were found						

SARA 304 RQ : Not applicable

SARA 311/312

Classification : Not applicable

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Crystalline silica, quartz	10-30	No.	No.	No.	No.	Yes.
Titanium dioxide	1-5	No.	No.	No.	No.	Yes.
Carbon black	0.1-1	No.	No.	No.	No.	Yes.

SARA 313

	Product Name	CAS number	%
Form R – Reporting requirements			
Supplier notification			

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

- Massachusetts : The following components are listed: Titanium dioxide; Crystalline silica, quartz; Talc
- New York : None of the components are listed
- New Jersey : The following components are listed: Titanium dioxide; Crystalline silica, quartz; Distillates (petroleum), solvent-dewaxed heavy paraffinic; Talc; Carbon black
- Pennsylvania : The following components are listed: Titanium dioxide; Crystalline silica, quartz; Talc; Carbon black

California Prop. 65

WARNING : This product contains a chemical known to the State of California to cause cancer.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Crystalline silica, quartz	Yes.	No.	No.	No.
Titanium dioxide	Yes.	No.	No.	No.
Carbon black	Yes.	No.	No.	No.
Isoprene	Yes.	No.	No.	No.

SAFETY DATA SHEET

Superstop[®] 47B Hydrophilic Butyl Waterstop Seal

SECTION 15. REGULATORY INFORMATION (continued)

International regulations

International lists :

Australia inventory (AICS)	:	Not determined.
China inventory (IECSC)	:	All components are listed or exempted.
Japan inventory	:	Not determined.
Korea inventory	:	All components are listed or exempted
Malaysia Inventory (EHS Register)	:	Not determined.
New Zealand Inventory of Chemicals (NZIoC)	:	All components are listed or exempted
Philippines inventory (PICCS)	:	All components are listed or exempted.
Taiwan inventory (CSNN)	:	Not determined.

Chemical Weapons Convention List Schedule I Chemicals : Not listed

Chemical Weapons Convention List Schedule II Chemicals : Not listed

Chemical Weapons Convention List Schedule III Chemicals : Not listed

SECTION 16. OTHER INFORMATION

History

Date of issue mm/dd/yyyy :	10/22/2018
Version :	2
Revised sections :	Section 13

Key to abbreviations

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

The information and the recommendations relating to the application and end use of this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability of final function at the job site is assumed. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability of, or fitness for, particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. The Company also has no express or implied knowledge of any particular purpose for which the product is required and any such information given will not be taken into account in the supply of this product. No responsibility or liability by the Company will be accepted for misuse, misreading or derivation from recommended guidelines in respect of this product and the user shall determine the suitability of the product for his intended use and assume all risks and liability in connection therewith. The information contained in our brochure may change at any time without notice. Any use of this product, Superstop[®] 47B, in any application should be approved as suitable for use/application by the Design Engineer and Project Manager.

CJSA

Unit 2, 18 Farrow Circuit Seaford Rise,

South Australia 5169, Australia.

Tel +61 432 423 103

Email admin@cjsa.net.au